INDEX TO VOLUME 9

Key to abbreviations: *abs/comm* = abstract with commentary.

SUBJECTS

Acute coronary syndrome
Management of patients with acute coronary syndrome without persistent ST elevation, 9(5):279–91

Alcohol
Alcohol consumption and coronary heart disease: what do the lessons of hormone replacement therapy teach us?, 9(12): 691–5
Reducing benzodiazepine use for alcohol withdrawal: symptom-triggered compared with fixed-schedule therapy, 9(7): 362–3 *abs/comm*

Alcoholic cardiomyopathy
Controlled drinking in alcoholic cardiomyopathy: what is the prognosis?, 9(3): 121–2 *abs/comm*

Aldosteronism
Secondary hypertension: diagnosis and management of an adrenal adenoma, 9(9):525–31

Amphotericin B
A meta-analysis of fluconazole versus amphotericin B for treatment of invasive Candida infections, 9(4):191–6

Anastrozole
Is anastrozole better than tamoxifen as adjuvant therapy for early breast cancer in postmenopausal women?, 9(8):430, 432 *abs/comm*

Angioplasty
Carotid angioplasty and stenting versus endarterectomy: larger trials needed, 9(1):13–4 *abs/comm*

Ankle-brachial index
Ankle-brachial index identifies impaired lower extremity function in peripheral vascular disease, 9(8):432–3 *abs/comm*

Antibiotics
Reducing inappropriate antibiotic use for the common cold, 9(6):307–9 *abs/comm*

Anticoagulation
Extended prophylaxis with low-molecular-weight heparin versus oral anticoagulation following hip replacement, 9(12): 658–9 *abs/comm*
Is anticoagulation in patients with cancer safer using low-molecular-weight heparin?, 9(10):545–6 *abs/comm*
Oral anticoagulation, aspirin, or both in coronary disease?, 9(10):547, 550 *abs/comm*
Patient-managed anticoagulation: effective but more costly?, 9(12):655–6 *abs/comm*
Use of six sigma to improve the safety and efficacy of acute anticoagulation with heparin, 9(8):445–53

Antipsychotics
Prevention and reversal of weight gain associated with antipsychotic treatment, 9(10):575–82

Arteritis
Giant cell arteritis: diagnosis and management, 9(2):100–7

Aspirin
Oral anticoagulation, aspirin, or both in coronary disease?, 9(10):547, 550 *abs/comm*

Asthma
Evidence-based assessment of educational interventions: the importance of the control group, 9(9):483–4 *abs/comm*
Improving care for children with asthma in 2 Medicaid health plans, 9(10):557–63

Atenolol
Benefits of losartan over atenolol for hypertension in high-risk patients, 9(5): 243, 246 *abs/comm*

Atrial fibrillation
Management of atrial fibrillation, 9(11): 631–48

Blood pressure measurement
Physician-measured blood pressures are signficantly higher than ambulatory blood pressures, 9(9):484–5 *abs/comm*

Cancer, breast
Evaluating suspected breast cancer at a one-stop clinic: is this a better model?, 9(7):365–6 *abs/comm*
Is anastrozole better than tamoxifen as adjuvant therapy for early breast cancer in postmenopausal women?, 9(8):430, 432 *abs/comm*
Mammography screening in women 40–49 years: more data to fuel debate, 9(10):542, 544 *abs/comm*
Quality of life in breast cancer survivors, 9(3):123,126 *abs/comm*

Cancer, colorectal
Improving colon cancer survival with surgical technique, 9(9):485, 488–9 *abs/comm*
Strategies to improve colorectal cancer outcomes, 9(5):269–78

Cancer, lung
Helping patients with lung cancer quit smoking, 9(11):609-10 *abs/comm*
Positron emission tomography to improve care for patients with suspected non-small cell lung cancer, 9(6):303–4 *abs/comm*
Screening for lung cancer with low-dose helical computed tomography: are we getting closer?, 9(4):182, 184 *abs/comm*

Cancer, prostate
Lowering the risk of prostate cancer with NSAIDs: moving towards chemoprevention, 9(5):240, 242 *abs/comm*
PSA testing and overdiagnosis: can computers sort this out?, 9(8):433–4 *abs/comm*

Cancer, quality of life assessment
Assessing quality of life in oncology clinical practice: a review of barriers and critical success factors, 9(6):327–32

Candida infection
A meta-analysis of fluconazole versus amphotericin B for treatment of invasive Candida infections, 9(4):191–6

Cardiomyopathy
Controlled drinking in alcoholic cardiomyopathy: what is the prognosis?, 9(3): 121–2 *abs/comm*

Cardiovascular disease
Cholesterol lowering for primary prevention of cardiovascular events in older adults, 9(8):427–8 *abs/comm*
Do major teaching hospitals provide better care to patients with cardiovascular disease?, 9(5):236, 239 *abs/comm*
Risk factors for heart disease among women: communicating probabilities of disease, 9(6):333–40

Carotid stenosis
Carotid angioplasty and stenting versus endarterectomy: larger trials needed, 9(1):13–4 *abs/comm*

Celiac disease
Celiac disease: diagnosis and management, 9(6):341–9

Cholecystitis
Diagnosis and management of gallstone disease, 9(10):583–91

Coenzyme Q_{10}
Coenzyme Q_{10} in early Parkinson's disease, 9(12):659, 662 *abs/comm*

Cognitive behavioral therapy
Should primary care doctors be taught cognitive behavioral therapy to treat depression?, 9(6):304, 306 *abs/comm*

INDEX TO VOLUME 9

Key to abbreviations: *abs/comm* = abstract with commentary.

SUBJECTS

Acute coronary syndrome
Management of patients with acute coronary syndrome without persistent ST elevation, 9(5):279–91

Alcohol
Alcohol consumption and coronary heart disease: what do the lessons of hormone replacement therapy teach us?, 9(12): 691–5
Reducing benzodiazepine use for alcohol withdrawal: symptom-triggered compared with fixed-schedule therapy, 9(7): 362–3 *abs/comm*

Alcoholic cardiomyopathy
Controlled drinking in alcoholic cardiomyopathy: what is the prognosis?, 9(3): 121–2 *abs/comm*

Aldosteronism
Secondary hypertension: diagnosis and management of an adrenal adenoma, 9(9):525–31

Amphotericin B
A meta-analysis of fluconazole versus amphotericin B for treatment of invasive Candida infections, 9(4):191–6

Anastrozole
Is anastrozole better than tamoxifen as adjuvant therapy for early breast cancer in postmenopausal women?, 9(8):430, 432 *abs/comm*

Angioplasty
Carotid angioplasty and stenting versus endarterectomy: larger trials needed, 9(1):13–4 *abs/comm*

Ankle-brachial index
Ankle-brachial index identifies impaired lower extremity function in peripheral vascular disease, 9(8):432–3 *abs/comm*

Antibiotics
Reducing inappropriate antibiotic use for the common cold, 9(6):307–9 *abs/comm*

Anticoagulation
Extended prophylaxis with low-molecular-weight heparin versus oral anticoagulation following hip replacement, 9(12): 658–9 *abs/comm*
Is anticoagulation in patients with cancer safer using low-molecular-weight heparin?, 9(10):545–6 *abs/comm*
Oral anticoagulation, aspirin, or both in coronary disease?, 9(10):547, 550 *abs/comm*
Patient-managed anticoagulation: effective but more costly?, 9(12):655–6 *abs/comm*
Use of six sigma to improve the safety and efficacy of acute anticoagulation with heparin, 9(8):445–53

Antipsychotics
Prevention and reversal of weight gain associated with antipsychotic treatment, 9(10):575–82

Arteritis
Giant cell arteritis: diagnosis and management, 9(2):100–7

Aspirin
Oral anticoagulation, aspirin, or both in coronary disease?, 9(10):547, 550 *abs/comm*

Asthma
Evidence-based assessment of educational interventions: the importance of the control group, 9(9):483–4 *abs/comm*
Improving care for children with asthma in 2 Medicaid health plans, 9(10):557–63

Atenolol
Benefits of losartan over atenolol for hypertension in high-risk patients, 9(5): 243, 246 *abs/comm*

Atrial fibrillation
Management of atrial fibrillation, 9(11): 631–48

Blood pressure measurement
Physician-measured blood pressures are signficantly higher than ambulatory blood pressures, 9(9):484–5 *abs/comm*

Cancer, breast
Evaluating suspected breast cancer at a one-stop clinic: is this a better model?, 9(7):365–6 *abs/comm*
Is anastrozole better than tamoxifen as adjuvant therapy for early breast cancer in postmenopausal women?, 9(8):430, 432 *abs/comm*
Mammography screening in women 40–49 years: more data to fuel debate, 9(10):542, 544 *abs/comm*
Quality of life in breast cancer survivors, 9(3):123,126 *abs/comm*

Cancer, colorectal
Improving colon cancer survival with surgical technique, 9(9):485, 488–9 *abs/comm*
Strategies to improve colorectal cancer outcomes, 9(5):269–78

Cancer, lung
Helping patients with lung cancer quit smoking, 9(11):609-10 *abs/comm*
Positron emission tomography to improve care for patients with suspected non-small cell lung cancer, 9(6):303–4 *abs/comm*
Screening for lung cancer with low-dose helical computed tomography: are we getting closer?, 9(4):182, 184 *abs/comm*

Cancer, prostate
Lowering the risk of prostate cancer with NSAIDs: moving towards chemoprevention, 9(5):240, 242 *abs/comm*
PSA testing and overdiagnosis: can computers sort this out?, 9(8):433–4 *abs/comm*

Cancer, quality of life assessment
Assessing quality of life in oncology clinical practice: a review of barriers and critical success factors, 9(6):327–32

Candida infection
A meta-analysis of fluconazole versus amphotericin B for treatment of invasive Candida infections, 9(4):191–6

Cardiomyopathy
Controlled drinking in alcoholic cardiomyopathy: what is the prognosis?, 9(3): 121–2 *abs/comm*

Cardiovascular disease
Cholesterol lowering for primary prevention of cardiovascular events in older adults, 9(8):427–8 *abs/comm*
Do major teaching hospitals provide better care to patients with cardiovascular disease?, 9(5):236, 239 *abs/comm*
Risk factors for heart disease among women: communicating probabilities of disease, 9(6):333–40

Carotid stenosis
Carotid angioplasty and stenting versus endarterectomy: larger trials needed, 9(1):13–4 *abs/comm*

Celiac disease
Celiac disease: diagnosis and management, 9(6):341–9

Cholecystitis
Diagnosis and management of gallstone disease, 9(10):583–91

Coenzyme Q_{10}
Coenzyme Q_{10} in early Parkinson's disease, 9(12):659, 662 *abs/comm*

Cognitive behavioral therapy
Should primary care doctors be taught cognitive behavioral therapy to treat depression?, 9(6):304, 306 *abs/comm*

Colectomy
Improving colon cancer survival with surgical technique, 9(9):485, 488–9 *abs/comm*

Common cold
Reducing inappropriate antibiotic use for the common cold, 9(6):307–9 *abs/comm*

Computed tomography
Screening for lung cancer with low-dose helical computed tomography: are we getting closer?, 9(4):182, 184 *abs/comm*

Computers
Connected: communicating and computing in the examination room, 9(11):621–4
The use of computers in population-based diabetes management, 9(7):390–6

Coronary artery disease
Alcohol consumption and coronary heart disease: what do the lessons of hormone replacement therapy teach us?, 9(12): 691–5
Oral anticoagulation, aspirin, or both in coronary disease?, 9(10):547, 550 *abs/comm*
Risk factors for heart disease among women: communicating probabilities of disease, 9(6):333–40
Secondary prevention of coronary artery disease: lipid management as a priority for improvement, 9(7):371–80
The metabolic syndrome: an interplay of multiple subtle cardiovascular risk factors, 9(1):41–9
The new NCEP cholesterol guidelines: challenges for measurement and clinical practice, 9(6):319–25

Corticosteroids
Low-dose prednisone for early active rheumatoid arthritis: should you use it?, 9(2):66–7 *abs/comm*
Upper gastrointestinal bleeding in patients taking corticosteroids, 9(1):10–3 *abs/comm*

Counseling, automated
Improving physical activity levels through an automated telephone counseling system, 9(11):605–8 *abs/comm*

COX-2 inhibitors
Selective COX-2 inhibitors: towards defining their appropriate clinical role, 9(5): 265–8

Delirium
Rapid assessment of delirium in mechanically ventilated patients, 9(2):61 *abs/comm*

Dementia
Telephonic screening for cognitive impairment: a feasibility study in a managed care clinic, 9(3):129–33

Depression
Should primary care doctors be taught cognitive behavioral therapy to treat depression?, 9(6):304, 306 *abs/comm*

Diabetes mellitus
A diabetes disease management model in the primary setting, 9(12):683–88
A multifaceted model for implementing clinical practice guidelines across the continuum of care, 9(4):199–206
Benefits and limitations of home glucose monitoring in type 2 diabetes, 9(1):14–5 *abs/comm*
Can stress management improve glycemic control in type 2 diabetes?, 9(4):178, 181 *abs/comm*
Persistence patterns with oral hypoglycemic agents in type 2 diabetes, 9(9): 491–9
Systematic implementation of customized guidelines: the staged diabetes management approach, 9(2):81–6
The use of computers in population-based diabetes management, 9(7):390–6

Diet
Diet and exercise for dyslipidemia: the challenge of putting guidelines into practice, 9(10):550–1 *abs/comm*

Disease management
A diabetes disease management model in the primary setting, 9(12):683–88
A program to improve the management of patients on long-term acid suppression medication, 9(6):312–8

Disparities
Collecting data on race and ethnicity in managed care; challenges and suggestions, 9(5):249–56

Dizziness
A clinical approach to dizziness, 9(3):141–5

Domestic violence
Screening for intimate partner violence in the primary care setting: a critical review, 9(10):565–71

Drug prescribing
Is inappropriate drug prescribing associated with increased mortality or functional decline in the elderly?, 9(3):126–7 *abs/comm*

Dyslipidemia
Diet and exercise for dyslipidemia: the challenge of putting guidelines into practice, 9(10):550–1 *abs/comm*
The metabolic syndrome: an interplay of multiple subtle cardiovascular risk factors, 9(1):41–9

Electronic medical record
Connected: communicating and computing in the examination room, 9(11):621–4

Emergency department
Next-day care for patients with non-acute conditions presenting to an emergency department, 9(12):664–5 *abs/comm*

Endarterectomy
Carotid angioplasty and stenting versus endarterectomy: larger trials needed, 9(1):13–4 *abs/comm*

End-stage renal disease
What has outcomes research taught us about evidence-based treatment of end-stage renal disease?, 9(9):509–14

Ethnicity
Collecting data on race and ethnicity in managed care; challenges and suggestions, 9(5):249–56

Exercise
Benefit of exercise in fibromyalgia, 9(11): 604–5 *abs/comm*
Diet and exercise for dyslipidemia: the challenge of putting guidelines into practice, 9(10):550–1 *abs/comm*
Home-based exercise program reduces chronic knee pain, 9(11):603–4 *abs/comm*
Improving physical activity levels through an automated telephone counseling system, 9(11):605–8 *abs/comm*

Fibromyalgia
Benefit of exercise in fibromyalgia, 9(11): 604–5 *abs/comm*

Fluconazole
A meta-analysis of fluconazole versus amphotericin B for treatment of invasive Candida infections, 9(4):191–6

Gallstone disese
Celiac disease: diagnosis and management, 9(6):341–9
Diagnosis and management of gallstone disease, 9(10):583–91

Gastroesophageal reflux disease
A program to improve the management of patients on long-term acid suppression medication, 9(6):312–8

Gastrointestinal bleeding
Upper gastrointestinal bleeding in patients taking corticosteroids, 9(1):10–3 *abs/comm*

Geriatric primary care
Innovative approaches to improving delivery of primary care to older adults, 9(1): 33–9

Giant cell arteritis
Giant cell arteritis: diagnosis and management, 9(2):100–7

Group visits
Innovative approaches to improving

delivery of primary care to older adults, 9(1):33–9,

Guidelines
A multifaceted model for implementing clinical practice guidelines across the continuum of care, 9(4):199–206
Impact of a guideline-based quality improvement initiative on acute myocardial infarction care, 9(5):247–8 *abs/comm*
Overview of recent guidelines for the management of community-acquired pneumonia, 9(7):381–9
Systematic implementation of customized guidelines: the staged diabetes management approach, 9(2):81–6

Heart murmur
Heart murmur in a child, 9(3):141–5

Helicobacter pylori
Cost-effectiveness of abbreviated regimens for Helicobacter pylori eradication in peptic ulcer disease, 9(2):71–8
Role of H. pylori eradication in patients starting NSAID therapy, 9(3):117–8 *abs/comm*
What is a cost-effective approach to proving Helicobacter pylori eradication after antibiotic treatment?, 9(5):242, 243 *abs/comm*

Heparin
Extended prophylaxis with low-molecular-weight heparin versus oral anticoagulation following hip replacement, 9(12): 658–9 *abs/comm*
Is anticoagulation in patients with cancer safer using low-molecular-weight heparin?, 9(10):545–6 *abs/comm*
Use of six sigma to improve the safety and efficacy of acute anticoagulation with heparin, 9(8):445–53

Herpes, genital
Diagnosing and treating genital herpes infection, 9(12):696–703

Hip fracture
Time to surgery and mortality following hip fracture, 9(9):489–90 *abs/comm*

Hormone replacement therapy
Alcohol consumption and coronary heart disease: what do the lessons of hormone replacement therapy teach us?, 9(12): 691–5
Postmenopausal hormone replacement therapy—where are we now?, 9(9):515–23

Hospitalists
Effect of hospitalists on quality and cost, 9(2):65–6 *abs/comm*

Hypercholesterolemia
Cholesterol lowering for primary prevention of cardiovascular events in older adults, 9(8):427–8 *abs/comm*
How cost-effective is screening for familial hypercholesterolemia?, 9(7):359 *abs/comm*
The new NCEP cholesterol guidelines: challenges for measurement and clinical practice, 9(6):319–25

Hypertension
Benefits of losartan over atenolol for hypertension in high-risk patients, 9(5):243, 246 *abs/comm*
Physician-measured blood pressures are signficantly higher than ambulatory blood pressures, 9(9):484–5 *abs/comm*
Physician undertreatment of hypertension, 9(4):186, 187 *abs/comm*
Secondary hypertension: diagnosis and management of an adrenal adenoma, 9(9):525–31

Hypoglycemic agents
Persistence patterns with oral hypoglycemic agents in type 2 diabetes, 9(9):491–9

Immunization
Influenza vaccination for the elderly: when doing more costs less, 9(2):62, 65 *abs/comm*
Rapid implementation of a pneumococcal vaccine program in a multispecialty teaching hospital, 9(3):141–5

Influenza
Influenza vaccination for the elderly: when doing more costs less, 9(2):62, 65 *abs/comm*

Intensive care
Rapid assessment of delirium in mechanically ventilated patients, 9(2):61 *abs/comm*
Utilization management reduces unnecessary testing in the coronary care unit, 9(11):611–2 *abs/comm*

Irritable bowel syndrome
Irritable bowel syndrome: an evidence-based management approach, 9(7):409–18

Lateral epicondylitis
Evidence-based treatment of tennis elbow, 9(4):177–8 *abs/comm*

Length of stay
Antimicrobial selection and length of hospital stay in patients with community-acquired pneumonia, 9(11):613–9

Losartan
Benefits of losartan over atenolol for hypertension in high-risk patients, 9(5):243, 246 *abs/comm*

Malabsorption
Celiac disease: diagnosis and management, 9(6):341–9

Mammograpy
Mammography screening in women 40–49 years: more data to fuel debate, 9(10):542, 544 *abs/comm*

Manual therapy
Manual therapy holds promise for treatment of neck pain, 9(7):363–4 *abs/comm*

Medicaid
Improving care for children with asthma in two Medicaid health plans, 9(10):557–63

Medication safety
Case studies in medication safety improvement, 9(9):501–6

Menopause
Postmenopausal hormone replacement therapy—where are we now?, 9(9):515–23

Metabolic syndrome
The metabolic syndrome: an interplay of multiple subtle cardiovascular risk factors, 9(1):41–9

Methotrexate
Mortality reduction seen with methotrexate for rheumatoid arthritis, 9(6):306–7 *abs/comm*

Myocardial infarction
Impact of a guideline-based quality improvement initiative on acute myocardial infarction care, 9(5):247–8 *abs/comm*

Myopathy, idiopathic inflammatory
Approach to diagnosis and management of an idiopathic inflammatory myopathy, 9(8):455–61

NSAIDs
Lowering the risk of prostate cancer with NSAIDs: moving towards chemoprevention, 9(5):240, 242 *abs/comm*
Role of H. pylori eradication in patients starting NSAID therapy, 9(3):117–8 *abs/comm*

Osteoarthritis
Home-based exercise program reduces chronic knee pain, 9(11):603–4 *abs/comm*

Osteoporosis
Diagnosis and management of postmenopausal osteoporosis, 9(7):397–407

Pain management
First steps in quality improvement: a pilot program for the management of acute sickle cell pain, 9(1):19–26
Home-based exercise program reduces chronic knee pain, 9(11):603–4 *abs/comm*
Manual therapy holds promise for treatment of neck pain, 9(7):363–4 *abs/comm*

Palliative care
Care not cure: dialogues at the transition, 9(12):677–81

Parkinson's disease
Coenzyme Q_{10} in early Parkinson's disease, 9(12):659, 662 *abs/comm*

Patient education
Presenting benefits before risks: does it affect decision making?, 9(10):541–2 *abs/comm*

Patient safety
A program to remove patients from unnecessary contact precautions, 9(10): 553–6
Case studies in medication safety improvement, 9(9):501–6

Peptic ulcer disease
A program to improve the management of patients on long-term acid suppression medication, 9(6):312–8
Cost-effectiveness of abbreviated regimens for Helicobacter pylori eradication in peptic ulcer disease, 9(2):71–8
Role of H. pylori eradication in patients starting NSAID therapy, 9(3):117–8 *abs/comm*

Peripheral vascular disease
Ankle-brachial index identifies impaired lower extremity function in peripheral vascular disease, 9(8):432–3 *abs/comm*

Physical examination
The annual examination and testing: what the public expects, 9(7):360, 362 *abs/comm*

Physical therapy
Manual therapy holds promise for treatment of neck pain, 9(7):363–4 *abs/comm*

Physician-patient communication
Care not cure: dialogues at the transition, 9(12):677–81
Connected: communicating and computing in the examination room, 9(11):621–4
Strangers in crisis: communication skills for the emergency department clinician and hospitalist, 9(8):439–44

Physician profiling
Physician profiling: methodologic safeguards needed, 9(3):118, 121 *abs/comm*

Pneumonia, community-acquired
Antimicrobial selection and length of hospital stay in patients with community-acquired pneumonia, 9(11):613–9
Improving patient's experiences with pneumonia care, 9(12):655–6 *abs/comm*
Overview of recent guidelines for the management of community-acquired pneumonia, 9(7):381–9

Pneumonia, nursing home–acquired
Processes of care predict survival following nursing home–acquired pneumonia, 9(5):249–56

Polymyalgia rheumatica
Giant cell arteritis: diagnosis and management, 9(2):100–7

Polymyositis
Approach to diagnosis and management of an idiopathic inflammatory myopathy, 9(8):455–61

Positron emission tomography
Positron emission tomography to improve care for patients with suspected non-small cell lung cancer, 9(6):303–4 *abs/comm*

Pregnancy
Toward improving birth outcomes in Medicaid managed care, 9(3):135–9

Premenstrual syndrome
Recognizing and treating premenstrual dysphoric disorder, 9(2):87–98

Prenatal care
Toward improving birth outcomes in Medicaid managed care, 9(3):135–9

Proteinuria
Proteinuria: harbinger of serious clinical consequence?, 9(11):625–30

Quality of life assessment
Assessing quality of life in oncology clinical practice: a review of barriers and critical success factors, 9(6):327–32

Race
Collecting data on race and ethnicity in managed care; challenges and suggestions, 9(5):249–56

Rheumatoid arthritis
Low-dose prednisone for early active rheumatoid arthritis: should you use it?, 9(2):66–7 *abs/comm*
Mortality reduction seen with methotrexate for rheumatoid arthritis, 9(6):306–7 *abs/comm*

Rhinosinusitis
Management of rhinosinusitis in adults: clinical applications of recent evidence and treatment recommendations, 9(8): 455–61

Risk calculators
Risk factors for heart disease among women: communicating probabilities of disease, 9(6):333–40

Satisfaction, physician
Improving physician satisfaction on an academic general medical service, 9(1): 27–32

Schizophrenia
Initial presentation of schizophrenia: assessment, management, and long-term outcomes, 9(4):208–16

Screening
PSA testing and overdiagnosis: can computers sort this out?, 9(8):433–4 *abs/comm*
Screening for lung cancer with low-dose helical computed tomography: are we getting closer?, 9(4):182, 184 *abs/comm*
Strategies to improve colorectal cancer outcomes, 9(5):269–78
Telephonic screening for cognitive impairment: a feasibility study in a managed care clinic, 9(3):129–33

Shared decision making
Presenting benefits before risks: does it affect decision making?, 9(10):541–2 *abs/comm*

Sickle cell disease
First steps in quality improvement: a pilot program for the management of acute sickle cell pain, 9(1):19–26

Six sigma
Use of six sigma to improve the safety and efficacy of acute anticoagulation with heparin, 9(8):445–53

Smoking cessation
Computer-tailored smoking cessation program holds promise, 9(1):9–10 *abs/comm*
Helping patients with lung cancer quit smoking, 9(11):609–10 *abs/comm*
Improving the armamentarium for smoking cessation, 9(8):428–9 *abs/comm*

Stool antigen test
What is a cost-effective approach to proving helicobacter pylori eradication after antibiotic treatment?, 9(5):242, 243 *abs/comm*

Stress management
Can stress management improve glycemic control in type 2 diabetes?, 9(4):178, 181 *abs/comm*

Stroke
Beliefs regarding the effectiveness of stroke prevention practices: differences among provider specialties, 9(12):667–75

Syncope
How often does a standard evaluation of syncope identify an underlying etiology?, 9(4):184–5 *abs/comm*

Tamoxifen
Is anastrozole better than tamoxifen as adjuvant therapy for early breast cancer in postmenopausal women?, 9(8):430, 432 *abs/comm*

Tobacco use
Computer-tailored smoking cessation program holds promise, 9(1):9–10 *abs/comm*
Helping patients with lung cancer quit smoking, 9(11):609–10 *abs/comm*

Improving the armamentarium for smoking cessation, 9(8):428–9 *abs/comm*

Upper respiratory infections
Reducing inappropriate antibiotic use for the common cold, 9(6):307–9 *abs/comm*

Urinary tract infections
Management decisions regarding urinary tract infections in ambulatory women, 9(4):217–27

Utilization management
Utilization management reduces unnecessary testing in the coronary care unit, 9(11):611–2 *abs/comm*

Vertigo
A clinical approach to dizziness, 9(3):141–5

Violence
Screening for intimate partner violence in the primary care setting: a critical review, 9(10):565–71

Warfarin
Is anticoagulation in patients with cancer safer using low-molecular-weight heparin?, 9(10):545–6 *abs/comm*

Weight gain
Prevention and reversal of weight gain associated with antipsychotic treatment, 9(10):575–82

AUTHORS

Ahl E
Improving care for children with asthma in 2 Medicaid health plans, 9(10):557–63

Ansell BJ
The metabolic syndrome: an interplay of multiple subtle cardiovascular risk factors, 9(1):41–9

Artymowicz RJ
Antimicrobial selection and length of hospital stay in patients with community-acquired pneumonia, 9(11):613–9

Baker LH
Connected: communicating and computing in the examination room, 9(11):621–4

Bardon CG
A program to remove patients from unnecessary contact precautions, 9(10):553–6

Barta PJ
Improving care for children with asthma in 2 Medicaid health plans, 9(10):557–63

Bastian LA
Risk factors for heart disease among women: communicating probabilities of disease, 9(6):333–40

Batra P
Recognizing and treating premenstrual dysphoric disorder, 9(2):87–98

Beaulieu JE
Antimicrobial selection and length of hospital stay in patients with community-acquired pneumonia, 9(11):613–9

Benjamin EM
Systematic implementation of customized guidelines: the staged diabetes management approach, 9(2):81–6

Benton RP
A multifaceted model for implementing clinical practice guidelines across the continuum of care, 9(4):199–206

Berland D
First steps in quality improvement: a pilot program for the management of acute sickle cell pain, 9(1):19–26

Biswas MS
Risk factors for heart disease among women: communicating probabilities of disease, 9(6):333–40

Blak BT
Persistence patterns with oral hypoglycemic agents in type 2 diabetes, 9(9):491–9

Botteman MF
Persistence patterns with oral hypoglycemic agents in type 2 diabetes, 9(9):491–9

Bradley R
Systematic implementation of customized guidelines: the staged diabetes management approach, 9(2):81–6

Brown M
Improving physician satisfaction on an academic general medical service, 9(1): 27–32

Brown PD
Antimicrobial selection and length of hospital stay in patients with community-acquired pneumonia, 9(11):613– 9

Bub S
A diabetes disease management model in the primary care setting, 9(12):683–88

Campbell RK
Persistence patterns with oral hypoglycemic agents in type 2 diabetes, 9(9):491–9

Carlson MJ
Improving care for children with asthma in 2 Medicaid health plans, 9(10):557–63

Cash BD
Irritable bowel syndrome: an evidence-based management approach, 9(7):409–18

Cella D
Assessing quality of life in oncology clinical practice: a review of barriers and critical success factors, 9(6):327–32

Chey WD
Irritable bowel syndrome: an evidence-based management approach, 9(7):409–18

Christakis DA
A meta-analysis of fluconazole versus amphotericin B for treatment of invasive Candida infections, 9(4):191–6

Chuang CH
Screening for intimate partner violence in the primary care setting: a critical review, 9(10):565–71

Clarke BL
Diagnosis and management of postmenopausal osteoporosis, 9(7):397–407

Coblyn JS
Selective COX-2 inhibitors: towards defining their appropriate clinical role, 9(5): 265–8

Cohen DL
Secondary hypertension: diagnosis and management of an adrenal adenoma, 9(9):525–31

Coleman EA
Innovative approaches to improving delivery of primary care to older adults, 9(1):33–9

Coletti L
Rapid implementation of a pneumococcal vaccine program in a multispecialty teaching hospital, 9(3):141–5

Danford DA
Heart murmur in a child, 9(3):141–5

Datta SK
Cost-effectiveness of abbreviated regimens for Helicobacter pylori eradication in peptic ulcer disease, 9(2):71–8

Davis K
Assessing quality of life in oncology clinical practice: a review of barriers and critical success factors, 9(6):327–32

Day D
Antimicrobial selection and length of hospital stay in patients with community-acquired pneumonia, 9(11):613–9

Derose SF
A multifaceted model for implementing clinical practice guidelines across the continuum of care, 9(4):199–206

Dolor RJ
Management of rhinosinusitis in adults: clinical applications of recent evidence and treatment recommendations, 9(8): 455–61

Doyle AM
Proteinuria: harbinger of serious clinical consequence?, 9(11):625–30

Dzau V
Improving physician satisfaction on an academic general medical service, 9(1): 27–32

Ecord M
Processes of care predict survival following nursing home–acquired pneumonia, 9(5):249–56

Edell L
Use of six sigma to improve the safety and efficacy of acute anticoagulation with heparin, 9(8):445–53

Edelman C
Approach to diagnosis and management of an idiopathic inflammatory myopathy, 9(8):455–61

Farber MS
Antimicrobial selection and length of hospital stay in patients with community-acquired pneumonia, 9(11):613–9

Farbstein K
Case studies in medication safety improvement, 9(9):501–6

Fazio SB
Alcohol consumption and coronary heart disease: what do the lessons of hormone replacement therapy teach us?, 9(12): 691–5

Fekete T
Management decisions regarding urinary tract infections in ambulatory women, 9(4):217–27

Ferris TG
A program to improve the management of patients on long-term acid suppression medication, 9(6):312–8

Flaws JA
Postmenopausal hormone replacement therapy—where are we now?, 9(9):515–23

Frederickson EB
Processes of care predict survival following nursing home–acquired pneumonia, 9(5):249–56

Garrison MM
A meta-analysis of fluconazole versus amphotericin B for treatment of invasive Candida infections, 9(4):191–6

Gill S
Strategies to improve colorectal cancer outcomes, 9(5):269–78

Gold KF
Persistence patterns with oral hypoglycemic agents in type 2 diabetes, 9(9):491–9

Goldberg RM
Strategies to improve colorectal cancer outcomes, 9(5):269–78

Goldman MP
Antimicrobial selection and length of hospital stay in patients with community-acquired pneumonia, 9(11):613–9

Goldstein MG
Strangers in crisis: communication skills for the emergency department clinician and hospitalist, 9(8):439–44

Goldszer RC
A program to remove patients from unnecessary contact precautions, 9(10):553–6
Improving physician satisfaction on an academic general medical service, 9(1): 27–32

Gordon GH
Care not cure: dialogues at the transition, 9(12):677–81

Grant RW
The use of computers in population-based diabetes management, 9(7):390–6

Greenberg PD
A program to improve the management of patients on long-term acid suppression medication, 9(6):312–8

Haefemeyer JW
Telephonic screening for cognitive impairment: a feasibility study in a managed care clinic, 9(3):129–33

Harper DM
Recognizing and treating premenstrual dysphoric disorder, 9(2):87–98

Hennen N
Rapid implementation of a pneumococcal vaccine program in a multispecialty teaching hospital, 9(3):141–5

Hoffman W
Collecting data on race and ethnicity in managed care; challenges and suggestions, 9(5):249–56

Hogan J
A program to remove patients from unnecessary contact precautions, 9(10):553–6

Hollander H
Toward improving birth outcomes in Medicaid managed care, 9(3):135–9

Horner RD
Beliefs regarding the effectiveness of stroke prevention practices: differences among provider specialties, 9(12):667–75

Hurwitz S
Improving physician satisfaction on an academic general medical service, 9(1): 27–32

Husni ME
Selective COX-2 inhibitors: towards defining their appropriate clinical role, 9(5): 265–8

Hutt E
Processes of care predict survival following nursing home–acquired pneumonia, 9(5):249–56

Hyatt JD
A multifaceted model for implementing clinical practice guidelines across the continuum of care, 9(4):199–206

Jacobson BC
A program to improve the management of patients on long-term acid suppression medication, 9(6):312–8

Johnson M
Collecting data on race and ethnicity in managed care; challenges and suggestions, 9(5):249–56

Johnson PA
A program to remove patients from unnecessary contact precautions, 9(10):553–6

Johnston DC
Beliefs regarding the effectiveness of stroke prevention practices: differences among provider specialties, 9(12):667–75

Johnston DE
Diagnosis and management of gallstone disease, 9(10):583–91

Kahlert T
A program to remove patients from unnecessary contact precautions, 9(10):553–6

Keller V
Connected: communicating and computing in the examination room, 9(11):621–4
Strangers in crisis: communication skills for the emergency department clinician and hospitalist, 9(8):439–44

Kemmerly S
Rapid implementation of a pneumococcal vaccine program in a multispecialty teaching hospital, 9(3):141–5

Kernan W
Antimicrobial selection and length of hospital stay in patients with community-acquired pneumonia, 9(11):613–9

INDEX TO VOLUME 9

Knopman DA
Telephonic screening for cognitive impairment: a feasibility study in a managed care clinic, 9(3):129–33

Kooy MV
Use of six sigma to improve the safety and efficacy of acute anticoagulation with heparin, 9(8):445–53

Kramer AM
Processes of care predict survival following nursing home–acquired pneumonia, 9(5):249–56

Krebs W
Antimicrobial selection and length of hospital stay in patients with community-acquired pneumonia, 9(11):613–9

Lankford CSR
Postmenopausal hormone replacement therapy—where are we now?, 9(9): 515–23

Lee CE
Antimicrobial selection and length of hospital stay in patients with community-acquired pneumonia, 9(11):613–9

Lee DH
Rapid implementation of a pneumococcal vaccine program in a multispecialty teaching hospital, 9(3):141–5

Lee I
Proteinuria: harbinger of serious clinical consequence?, 9(11):625–30

Lee TH
A program to improve the management of patients on long-term acid suppression medication, 9(6):312–8

Lewis JS
Antimicrobial selection and length of hospital stay in patients with community-acquired pneumonia, 9(11):613–9

Liebschutz JM
Screening for intimate partner violence in the primary care setting: a critical review, 9(10):565–71

Loftus CG
Celiac disease: diagnosis and management, 9(6):341–9

Lubowski TJ
Antimicrobial selection and length of hospital stay in patients with community-acquired pneumonia, 9(11):613–9

Maclean JR
Collecting data on race and ethnicity in managed care; challenges and suggestions, 9(5):249–56

Marr KA
A meta-analysis of fluconazole versus amphotericin B for treatment of invasive Candida infections, 9(4):191–6

Masaschi NL
Improving physician satisfaction on an academic general medical service, 9(1): 27–32

Matchar DB
Cost-effectiveness of abbreviated regimens for Helicobacter pylori eradication in peptic ulcer disease, 9(2):71–8

Mawji Z
A diabetes disease management model in the primary care setting, 9(12):683–88

Meigs JB
The use of computers in population-based diabetes management, 9(7):390–6

Merkle LN
A diabetes disease management model in the primary care setting, 9(12):683–88

Mintz M
The new NCEP cholesterol guidelines: challenges for measurement and clinical practice, 9(6):319–25

Montanez A
First steps in quality improvement: a pilot program for the management of acute sickle cell pain, 9(1):19–26

Mukamal KJ
Alcohol consumption and coronary heart disease: what do the lessons of hormone replacement therapy teach us?, 9(12): 691–5

Murff HJ
Benefits and limitations of home glucose monitoring in type 2 diabetes, 9(1):14–5 *abs/comm*
Coenzyme Q_{10} in early Parkinson's disease, 9(12):659, 662 *abs/comm*
Diet and exercise for dyslipidemia: the challenge of putting guidelines into practice, 9(10):550–1 *abs/comm*
Effect of hospitalists on quality and cost, 9(2):65–6 *abs/comm*
Evidence-based assessment of educational interventions: the importance of the control group, 9(9):483–4 *abs/comm*
Evidence-based treatment of tennis elbow, 9(4):177–8 *abs/comm*
Impact of a guideline-based quality improvement initiative on acute myocardial infarction care, 9(5):247–8 *abs/comm*
Improving physical activity levels through an automated telephone counseling system, 9(11):605, 608 *abs/comm*
Improving the armamentarium for smoking cessation, 9(8):428–9 *abs/comm*
Physician profiling: methodologic safeguards needed, 9(3):118, 121 *abs/comm*
Reducing benzodiazepine use for alcohol withdrawal: symptom-triggered compared with fixed-schedule therapy, 9(7): 362–3 *abs/comm*
Reducing inappropriate antibiotic use for the common cold, 9(6):307–9 *abs/comm*

Murray JA
Celiac disease: diagnosis and management, 9(6):341–9

Nazareth I
A clinical approach to dizziness, 9(3):141–5

Noordsy D
Initial presentation of schizophrenia: assessment, management, and long-term outcomes, 9(4):208–16
Prevention and reversal of weight gain associated with antipsychotic treatment, 9(10):575–82

Oddone EZ
Beliefs regarding the effectiveness of stroke prevention practices: differences among provider specialties, 9(12):667–75

O'Keefe C
Prevention and reversal of weight gain associated with antipsychotic treatment, 9(10):575–82

Pashos CL
Persistence patterns with oral hypoglycemic agents in type 2 diabetes, 9(9): 491–9

Patel MR
Management of patients with acute coronary syndrome without persistent ST elevation, 9(5):279–91

Pawlson LG
The new NCEP cholesterol guidelines: challenges for measurement and clinical practice, 9(6):319–25

Payonk C
A diabetes disease management model in the primary care setting, 9(12):683–88

Persell SD
Benefit of exercise in fibromyalgia, 9(11): 604–5 *abs/comm*
Benefits of losartan over atenolol for hypertension in high-risk patients, 9(5): 243, 246 *abs/comm*
Carotid angioplasty and stenting versus endarterectomy: larger trials needed, 9(1):13–4 *abs/comm*
Cholesterol lowering for primary prevention of cardiovascular events in older adults, 9(8):427–8 *abs/comm*

Extended prophylaxis with low-molecular-weight heparin versus oral anticoagulation following hip replacement, 9(12): 658–9 *abs/comm*
Influenza vaccination for the elderly: when doing more costs less, 9(2):62, 65 *abs/comm*
Mortality reduction seen with methotrexate for rheumatoid arthritis, 9(6):306–7 *abs/comm*
Oral anticoagulation, aspirin, or both in coronary disease?, 9(10):547, 550
Physician undertreatment of hypertension, 9(4):186, 187 *abs/comm*
Role of H. pylori eradication in patients starting NSAID therapy, 9(3):117–8 *abs/comm*
The annual examination and testing: what the public expects, 9(7):360, 362 *abs/comm*
Time to surgery and mortality following hip fracture, 9(9):489–90 *abs/comm*

Peterson ED
Management of patients with acute coronary syndrome without persistent ST elevation, 9(5):279–91

Peterson JF
Ankle-brachial index identifies impaired lower extremity function in peripheral vascular disease, 9(8):432–3 *abs/comm*
Home-based exercise program reduces chronic knee pain, 9(11):603–4 *abs/comm*
How cost-effective is screening for familial hypercholesterolemia?, 9(7):359 *abs/comm*
How often does a standard evaluation of syncope identify an underlying etiology?, 9(4):184–5 *abs/comm*
Is inappropriate drug prescribing associated with increased mortality or functional decline in the elderly?, 9(3):126–7 *abs/comm*
Mammography screening in women 40–49 years: more data to fuel debate, 9(10):542, 544 *abs/comm*
Next-day care for patients with non-acute conditions presenting to an emergency department, 9(12):664–5 *abs/comm*
Physician-measured blood pressures are signficantly higher than ambulatory blood pressures, 9(9):484–5 *abs/comm*
Rapid assessment of delirium in mechanically ventilated patients, 9(2):61 *abs/comm*
Should primary care doctors be taught cognitive behavioral therapy to treat depression?, 9(6):304, 306 *abs/comm*
Upper gastrointestinal bleeding in patients taking corticosteroids, 9(1):10–3 *abs/comm*
What is a cost-effective approach to proving Helicobacter pylori eradication after antibiotic treatment?, 9(5):242, 243 *abs/comm*

Poon E
Can stress management improve glycemic control in type 2 diabetes?, 9(4):178, 181 *abs/comm*
Computer-tailored smoking cessation program holds promise, 9(1):9–10 *abs/comm*
Controlled drinking in alcoholic cardiomyopathy: what is the prognosis?, 9(3):121–2 *abs/comm*
Do major teaching hospitals provide better care to patients with cardiovascular disease?, 9(5):236, 239 *abs/comm*
Improving patient's experiences with pneumonia care, 9(12):655–6 *abs/comm*
Is anastrozole better than tamoxifen as adjuvant therapy for early breast cancer in postmenopausal women?, 9(8):430, 432 *abs/comm*
Low-dose prednisone for early active rheumatoid arthritis: should you use it?, 9(2):66–7 *abs/comm*
Manual therapy holds promise for treatment of neck pain, 9(7):363–4 *abs/comm*
Presenting benefits before risks: does it affect decision making?, 9(10):541–2 *abs/comm*
Utilization management reduces unnecessary testing in the coronary care unit, 9(11):611–2 *abs/comm*

Qureshi J
Giant cell arteritis: diagnosis and management, 9(2):100–7

Ravikrishnan KP
Antimicrobial selection and length of hospital stay in patients with community-acquired pneumonia, 9(11):613–

Rein MF
Diagnosing and treating genital herpes infection, 9(12):696–703

Renner PM
The new NCEP cholesterol guidelines: challenges for measurement and clinical practice, 9(6):319–25

Rhew DC
Overview of recent guidelines for the management of community-acquired pneumonia, 9(7):381–9

Roe MT
Management of patients with acute coronary syndrome without persistent ST elevation, 9(5):279–91

Rogers RL
Collecting data on race and ethnicity in managed care; challenges and suggestions, 9(5):249–56

Ruddy F
Rapid implementation of a pneumococcal vaccine program in a multispecialty teaching hospital, 9(3):141–5

Runkle C
Strangers in crisis: communication skills for the emergency department clinician and hospitalist, 9(8):439–44

Rush WK
Initial presentation of schizophrenia: assessment, management, and long-term outcomes, 9(4):208–16

Scheckner HM
Use of six sigma to improve the safety and efficacy of acute anticoagulation with heparin, 9(8):445–53

Schnipper JI
Secondary prevention of coronary artery disease: lipid management as a priority for improvement, 9(7):371–80

Shadick N
A program to remove patients from unnecessary contact precautions, 9(10):553–6

Shaffer DN
Cost-effectiveness of abbreviated regimens for Helicobacter pylori eradication in peptic ulcer disease, 9(2):71–8

Shea TL
A program to improve the management of patients on long-term acid suppression medication, 9(6):312–8

Simonson D
Rapid implementation of a pneumococcal vaccine program in a multispecialty teaching hospital, 9(3):141–5

Solomon DH
Selective COX-2 inhibitors: towards defining their appropriate clinical role, 9(5): 265–8

Spigel DR
Evaluating suspected breast cancer at a one-stop clinic: is this a better model?, 9(7):365–6 *abs/comm*
Helping patients with lung cancer quit smoking, 9(11):609–10 *abs/comm*
Improving colon cancer survival with surgical technique, 9(9):485, 488–9 *abs/comm*
Is anticoagulation in patients with cancer safer using low-molecular-weight heparin?, 9(10):545–6 *abs/comm*
Lowering the risk of prostate cancer with NSAIDs: moving towards chemoprevention, 9(5):240, 242 *abs/comm*
Positron emission tomography to improve care for patients with suspected non-small cell lung cancer, 9(6):303–4 *abs/comm*
PSA testing and overdiagnosis: can computers sort this out?, 9(8):433–4 *abs/comm*

INDEX TO VOLUME 9

Quality of life in breast cancer survivors, 9(3):123,126 *abs/comm*

Screening for lung cancer with low-dose helical computed tomography: are we getting closer?, 9(4):182, 184 *abs/comm*

Stafford RS
Secondary prevention of coronary artery disease: lipid management as a priority for improvement, 9(7):371–80

Stankaitis JA
Toward improving birth outcomes in Medicaid managed care, 9(3):135–9

Stechuchak K
Beliefs regarding the effectiveness of stroke prevention practices: differences among provider specialties, 9(12):667–75

Stephens JM
Persistence patterns with oral hypoglycemic agents in type 2 diabetes, 9(9):491–9

Stern G
A diabetes disease management model in the primary care setting, 9(12):683–88

Stillman P
A diabetes disease management model in the primary care setting, 9(12):683–88

Sun T
Rapid implementation of a pneumococcal vaccine program in a multispecialty teaching hospital, 9(3):141–5

Sutton PR
Management of atrial fibrillation, 9(11): 631–48

Swavely D
A diabetes disease management model in the primary care setting, 9(12):683–88

Szczech LA
What has outcomes research taught us about evidence-based treatment of end-stage renal disease?, 9(9):509–14

Tamplin E
A program to remove patients from unnecessary contact precautions, 9(10):553–6

Tomic D
Postmenopausal hormone replacement therapy—where are we now?, 9(9):515–23

Townsend RR
Secondary hypertension: diagnosis and management of an adrenal adenoma, 9(9):525–31

Trowbridge JF
Antimicrobial selection and length of hospital stay in patients with community-acquired pneumonia, 9(11):613–9

von Sternberg T
Telephonic screening for cognitive impairment: a feasibility study in a managed care clinic, 9(3):129–33

Walkinshaw CS
Persistence patterns with oral hypoglycemic agents in type 2 diabetes, 9(9):491–9

Wang TC
A program to improve the management of patients on long-term acid suppression medication, 9(6):312–8

Wasser TE
A diabetes disease management model in the primary care setting, 9(12):683–88

Whiteman MK
Postmenopausal hormone replacement therapy—where are we now?, 9(9):515–23

Whittemore A
A program to remove patients from unnecessary contact precautions, 9(10):553–6

Wilke WS
Giant cell arteritis: diagnosis and management, 9(2):100–7

Williams JW
Management of rhinosinusitis in adults: clinical applications of recent evidence and treatment recommendations, 9(8): 455–61

Winer EP
Quality of life in breast cancer survivors, 9(3):123,126

Winshall JS
Improving physician satisfaction on an academic general medical service, 9(1):27–32

Yanak F
Antimicrobial selection and length of hospital stay in patients with community-acquired pneumonia, 9(11):613–9

Yardley L
A clinical approach to dizziness, 9(3):141–5

Yeh J
Management of atrial fibrillation, 9(11): 631–648

Yokoe DS
A program to remove patients from unnecessary contact precautions, 9(10):553–6

Young, M
A diabetes disease management model in the primary care setting, 9(12):683–88

Zerr DM
A meta-analysis of fluconazole versus amphotericin B for treatment of invasive Candida infections, 9(4):191–6